

## CONTENTS

(Abstracts/contents lists published in: *Chem. Abstr.; Curr. Contents, Phys. Chem. Earth Sci., Life Sci.*)

Die Kristall- und Molekülstrukturen von drei thermodynamisch benachteiligten 2,6-Anhydro-nitroalditolen ("Glycopyranosylnitromethanen") J. Kopf, M. Morf, B. Zimmer, O. Jarchow (Hamburg, B.R.D.), H. Brandenburg, und P. Köll (Oldenburg, B.R.D.) . . . . .	1
A reverse approach to <sup>1</sup> H-n.m.r. assignments of bacterial polysaccharides D. N. M. Jones and J. K. M. Sanders (Cambridge, Gt. Britain) . . . . .	15
(1- <sup>13</sup> C) Alditols: elimination of magnetic equivalence in <sup>1</sup> H- and <sup>13</sup> C-n.m.r. spectra of symmetric compounds through ( <sup>13</sup> C)-substitution E. C. Garrett and A. S. Serianni (Notre Dame, IN, U.S.A.) . . . . .	23
Synthesis of a tetrasaccharide of the genus-specific lipopolysaccharide epitope of <i>Chlamydia</i> P. Kosma, R. Bahnmüller, G. Schulz (Vienna, Austria), and H. Brade (Borstel, F.R.G.) . . . . .	37
Synthesis of the sodium salts of methyl 2-O- $\alpha$ -L-fucopyranosyl- $\alpha$ -L-fucopyranoside 3- and 4-sulfate R. K. Jain and K. L. Matta (Buffalo, NY, U.S.A.) . . . . .	51
Synthesis of disaccharide methyl glycosides related to the polysaccharide from <i>Klebsiella</i> serotype 40 and a study of their inhibition in the precipitin reaction U. B. Maddali, A. K. Ray, and N. Roy (Calcutta, India) . . . . .	59
Synthesis of 4-O-methyl- $\beta$ -rhodomycins using derivatives of 4-amino-4-deoxy- and 3,4-diamino-3,4-dideoxy sugars C. Kolar, K. Dehmel, and H. Moldenhauer (Marburg, F.R.G.) . . . . .	67
Synthesis and conformational studies of carabiose and its 4'-sulphate and 2,4'-disulphate E. Parra, H.-N. Caro, J. Jiménez-Barbero, M. Martín-Lomas, and M. Bernabé (Madrid, Spain) . . . . .	83
Polysaccharides from thermal polymerization of glucosides G. R. Ponder and G. N. Richards (Missoula, MT, U.S.A.) . . . . .	93
Preparative separation of <i>myo</i> -inositol bis- and tris-phosphate isomers by anion-exchange chromatography B. Goldschimdt (Perstorp, Sweden) . . . . .	105
Anthracycline oligosaccharides: facile stereoselective synthesis of 2,6-dideoxy- $\alpha$ -L-lyxo-hexopyranosides C. Kolar, G. Kneissl, H. Wolf, and T. Kämpchen (Marburg, F.R.G.) . . . . .	111
ROESY studies and HSEA calculations on xylose-containing oligosaccharides related to <i>N</i> -glycoproteins B. R. Leeflang, J. B. Bouwstra, J. Kerékgyártó, J. P. Kamerling, and J. F. G. Vliegenthart (Utrecht, The Netherlands) . . . . .	117
<sup>87</sup> Rb <sup>+</sup> spin relaxation in enzymically purified and in untreated iota-carrageenan L. Piculell (Lund, Sweden) and C. Rochas (Grenoble, France) . . . . .	127

Structure of the K24 antigen of <i>E. coli</i> 083:K24:H, a polymer that consists of $\alpha$ -Kdop and glycerol phosphate M. C. Lenter, B. Jann, and K. Jann (Freiburg-Zähringen, F.R.G.) . . . . .	139
Structural studies of the capsular polysaccharide from <i>Aerococcus viridans</i> var. <i>homari</i> K. Hermansson, L. Kenne, B. Lindberg (Stockholm, Sweden), B. Arie, R. G. Brown, and J. E. Stewart (Halifax, N.S., Canada) . . . . .	145
Structure of a unique sulfated $\alpha$ -L-galactofucan from the tunicate <i>Clavelina</i> M. S. G. Pavão, P. A. S. Mourão (Rio de Janeiro, Brazil), and B. Mulloy (Potters Bar, Gt. Britain) . . . . .	153
Structural studies of a sulfated L-galactan from <i>Styela plicata</i> (Tunicate): analysis of the Smith-degraded polysaccharide R. M. Albano, M. S. G. Pavão, P. A. S. Mourão (Rio de Janeiro, Brazil), and B. Mulloy (Potters Bar, Gt. Britain) . . . . .	163
Oxidation of oligoglycosyl alditols during methylation catalyzed by sodium hydroxide and iodo-methane in methyl sulfoxide W. S. York, L. L. Kiefer, P. Albersheim, and A. G. Darvill (Athens, GA, U.S.A.) . . . . .	175
Competitive formation of cellulose <i>p</i> -toluenesulfonate and chlorodeoxycellulose during homogeneous reaction of <i>p</i> -toluenesulfonyl chloride with cellulose in <i>N,N</i> -dimethylacetamide-lithium chloride C. L. McCormick, T. R. Dawsey, and J. K. Newman (Hattiesburg, MS, U.S.A.) . . . . .	183
The structural analysis of a levan produced by <i>Streptococcus salivarius</i> SS2 P. J. Simms, W. J. Boyko, and J. R. Edwards (Villanova, PA, U.S.A.) . . . . .	193
Solute effects on the thermal stability of glycerol monostearate-amylose complex superstructures C. G. Biliaderis and H. D. Seneviratne (Winnipeg, Man., Canada) . . . . .	199
Molecular structure of 3- <i>O</i> -(3,6-anhydro- $\alpha$ -D-galactopyranosyl)- $\beta$ -D-galactopyranose (neocarrabiose) in the solid state and in solution: an investigation by X-ray crystallography, n.m.r. spectroscopy, and molecular mechanics calculations D. Lamba, A. L. Segre (Rome, Italy), S. Glover, W. Mackie, B. Sheldrick (Leeds, Gt. Britain), and S. Pérez (Nantes, France) . . . . .	215
<i>Notes</i>	
X-Ray crystallographic and n.m.r. ( $^1$ H and $^{13}$ C) studies of methyl 4,6- <i>O</i> -( <i>R</i> )-benzylidene-3- <i>O</i> -methyl-2- <i>O</i> - <i>p</i> -tolylsulfonyl- $\alpha$ -D-glucopyranoside and methyl 4,6- <i>O</i> -( <i>R</i> )-benzylidene-2- <i>O</i> -methyl-3- <i>O</i> - <i>p</i> -tolylsulfonyl- $\beta$ -D-glucopyranoside E. Lee, P. McArdle, N. Melody, D. Cunningham, and J. Gallagher (Galway, Ireland) . . . . .	231
Synthesis of methyl 2- <i>O</i> - $\alpha$ -D-galactopyranosyl-3- <i>O</i> - $\beta$ -D-glucopyranosyl- $\alpha$ -D-glucopyranoside, a trisaccharide of the R-1 core antigen of <i>Enterobacteriaceae</i> S. Basu and J. N. Pal (Calcutta, India) . . . . .	241
3-Deoxy-L-glycero-pentos-2-ulose (3-deoxy-L-xylosone) and L-threo-pentos-2-ulose (L-xylosone) as intermediates in the degradation of L-ascorbic acid D. B. Shin and M. S. Feather (Columbia, MO, U.S.A.) . . . . .	246
Phase-transfer-catalyzed synthesis of a phenylseleno $\alpha$ -ketoside of <i>N</i> -acetylneuraminic acid, (phenyl 5-acetamido-3,5-dideoxy-D-glycero- $\alpha$ -D-galacto-2-selenononulopyranosid)onic acid; a new sialidase inhibitor J. Rothermel and H. Faillard (Saarbrücken, F.R.G.) . . . . .	251

Chiral recognition of 1- <i>O</i> -allyl- and 1- <i>O</i> -benzyl- <i>D</i> - and - <i>L</i> - <i>myo</i> -inositol by cyclomalto-hexaose and -heptaose ( $\alpha$ - and $\beta$ -cyclodextrin)	255
M. Bernabé, J. Jiménez-Barbero, M. Martin-Lomas, S. Penadés, and C. Vicent (Madrid, Spain) . . . . .	
Efficient syntheses of 3,4,6-tri- <i>O</i> -acetyl-2-deoxy-2-phthalimido- $\beta$ - and - $\alpha$ - <i>D</i> -galactopyranosyl chloride	260
U. Nilsson, A. K. Ray, and G. Magnusson (Lund, Sweden) . . . . .	
A simple and ready internal <i>C</i> -glycosylation of 2,3,5-tri- <i>O</i> -benzylglycofuranoses promoted by the boron trifluoride-diethyl ether complex	264
M. Anastasia, P. Allevi, P. Ciuffreda, A. Fiechi, and A. Scala (Milan, Italy) . . . . .	
Synthesis and immunoadjuvant activity of <i>N</i> -[2- <i>O</i> -(2-acetamido-1,2,3,5-tetra-deoxy-1,5-imino- <i>D</i> -glucitol-3-yl)- <i>D</i> -lactoyl]- <i>L</i> -alanyl- <i>D</i> -isoglutamine	267
H. Ishida, M. Kitagawa, M. Kiso, A. Hasegawa (Gifu, Japan), and I. Azuma (Sapporo, Japan) . . . . .	
Some studies concerning the dimerization of 2,3- <i>O</i> -isopropylidene- <i>L</i> -erythrose	273
L. M. Lerner (Brooklyn, NY, U.S.A.) . . . . .	
3-Deoxy- <i>D</i> -erythro-hexulose: a convenient synthesis and its interaction with the enzymes of fructose metabolism	276
W. L. Dills, Jr. (North Dartmouth, MA, U.S.A.) . . . . .	
Synthesis of methyl 2- <i>O</i> -(sodium $\alpha$ - <i>L</i> -fucopyranosyl 3- and 4-sulfate)- $\alpha$ - <i>L</i> -fucopyranoside	280
R. K. Jain and K. L. Matta (Buffalo, NY, U.S.A.) . . . . .	
A one-step synthesis of 6- <i>S</i> -acetyl-6-deoxy-1,2:3,4-di- <i>O</i> -isopropylidene-6-thio- $\alpha$ - <i>D</i> -galactopyranose	287
M. von Itzstein, M. J. Jenkins, and M. Mocerino (Parkville, Vic., Australia) . . . . .	
Colorimetric determination of alginates and fragments thereof as the 2-nitrophenylhydrazides	289
Y. Murata, S. Kawashima, E. Miyamoto, N. Masauji, and A. Honda (Kanozawa, Japan) . . . . .	
Structural studies of the <i>O</i> -specific polysaccharide from <i>Salmonella kentucky</i> strain 98/39 (O:8,H: <i>i</i> ,Z <sub>6</sub> )	293
V. I. Torgov, V. N. Shibaev, A. A. Shashkov, and S. Sh. Rozhnova (Moscow, U.S.S.R.) . . . . .	
Structure of 3- <i>O</i> -( $\alpha$ - <i>D</i> -glucopyranosyluronic acid)- <i>L</i> -galactopyranose, an aldobiouronic acid isolated from the polysaccharides of various unicellular red algae	301
S. Geresh, O. Dubinsky, S. Arad, D. Christiaen, and R. Glaser (Beersheva, Israel) . . . . .	
The effects of deglycosylation on the properties of native and biotinylated bovine testicular hyaluronidase	306
D. Lace, A. H. Olavesen, and P. Gacesa (Cardiff, Gt. Britain) . . . . .	
Modified malto-oligosaccharides as inhibitors of human alpha-amylases	312
K. Omichi, S. Hase, and T. Ikenaka (Osaka, Japan) . . . . .	
<i>Errata</i> . . . . .	c1
<i>Author index</i> . . . . .	c3
<i>Subject index</i> . . . . .	c5

